

P21831.A20



apc

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor(s) : K. SHIBATA et al.

**Certificate of Correction Branch**

Patent No. : 6,780,894

Issued: August 24, 2004

Appl. No. : 10/022,342

Filed: December 20, 2001

For : TREATMENT LIQUID FOR CURED UNSATURATED POLYESTER  
RESIN AND TREATMENT METHOD THEREOF

**REQUEST FOR CERTIFICATE OF CORRECTION**

Commissioner For Patents  
U.S. Patent and Trademark Office  
Customer Service Window  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

**Certificate**  
MAR 07 2005  
**of Correction**

Sir:

Please find attached a proposed Certificate of Correction.

Please correct the following errors appearing in the printed patent, which are the fault of the U.S. Patent and Trademark Office, as per the attached Certificate of Correction. Since these errors are the fault of the USPTO, no fee is due.

At column 16, line 27 (claim 12, line 3) of the printed patent, "tiller" should be —filler—.

This appeared correctly on page 5, line 1 of the Amendment Under 37 C.F.R. 1.111 filed December 22, 2003.

At column 16, line 28 (claim 12, line 4) of the printed patent, "or" (second occurrence) should be —of—. This appeared correctly on page 5, line 1 of the Amendment Under 37 C.F.R. 1.111 filed December 22, 2003.

MAR 17 2005

P21831.A20

At column 16, line 29 (claim 12, line 5) of the printed patent, after "product" insert —of—.

This appeared correctly on page 5, line 1 of the Amendment Under 37 C.F.R. 1.111 filed December 22, 2003.

Therefore, it is respectfully requested that a Certificate of Correction issue in the above-identified patent as follows:


At column 16, line 27 (claim 12, line 3) of the printed patent, "tiller" should be —filler—.

At column 16, line 28 (claim 12, line 4) of the printed patent, "or" (second occurrence) should be —of—.

At column 16, line 29 (claim 12, line 5) of the printed patent, after "product" insert —of—.

Should there be any questions, the Examiner is invited to contact the undersigned at the below-listed number.

Respectfully submitted,  
K. SHIBATA et al.



Bruce H. Bernstein  
Reg. No. 29,027

Stephen M. Roylance  
Reg. No. 31,296

March 3, 2005  
GREENBLUM & BERNSTEIN, P.L.C.  
1950 Roland Clarke Place  
Reston, VA 20191  
(703) 716-1191

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

PATENT NO. : 6,780,894  
DATED : August 24, 2004  
INVENTOR(S) : K. SHIBATA et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 16, line 27 (claim 12, line 3) of the printed patent, "tiller" should be —filler—.

At column 16, line 28 (claim 12, line 4) of the printed patent, "or" (second occurrence) should be —of—.

At column 16, line 29 (claim 12, line 5) of the printed patent, after "product" insert —of—.

MAILING ADDRESS OF SENDER:

Greenblum & Bernstein, P.L.C.  
1950 Roland Clarke Place  
Reston, VA 20191

PATENT NO. 6,780,894

No. of add'l copies  
@ 50¢ per page



# UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,780,894  
DATED : August 24, 2004  
INVENTOR(S) : K. SHIBATA et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 16, line 27 (claim 12, line 3) of the printed patent, "tiller" should be —filler—.

At column 16, line 28 (claim 12, line 4) of the printed patent, "or" (second occurrence) should be —of—.

At column 16, line 29 (claim 12, line 5) of the printed patent, after "product" insert —of—.

MAILING ADDRESS OF SENDER:  
Greenblum & Bernstein, P.L.C.  
1950 Roland Clarke Place  
Reston, VA 20191

PATENT NO. 6,780,894

No. of add'l copies  
@ 50¢ per page

